

CSI62

Operating Systems and Systems Programming

Lecture II

Scheduling (finished), Deadlock

March 3rd, 2020

Prof. John Kubiawicz

<http://cs162.eecs.Berkeley.edu>

Acknowledgments: Lecture slides are from the Operating Systems course taught by John Kubiawicz at Berkeley, with few minor updates/changes. When slides are obtained from other sources, a reference will be noted on the bottom of that slide, in which case a full list of references is provided on the last slide.

Recall: Scheduling Policy Goals/Criteria


- Minimize Response Time
 - Minimize elapsed time to do an operation (or job)
 - Response time is what the user sees:
 - » Time to echo a keystroke in editor
 - » Time to compile a program
 - » Real-time Tasks: Must meet deadlines imposed by World
- Maximize Throughput
 - Maximize operations (or jobs) per second
 - Throughput related to response time, but not identical:
 - » Minimizing response time will lead to more context switching than if you only maximized throughput
 - Two parts to maximizing throughput
 - » Minimize overhead (for example, context-switching)
 - » Efficient use of resources (CPU, disk, memory, etc)
- Fairness
 - Share CPU among users in some equitable way
 - Fairness is not minimizing average response time:
 - » Better *average* response time by making system *less* fair

Recall: What if we Knew the Future?

- Could we always mirror best FCFS?
- Shortest Job First (SJF):
 - Run whatever job has the least amount of computation to do
 - Sometimes called “Shortest Time to Completion First” (STCF)
- Shortest Remaining Time First (SRTF):
 - Preemptive version of SJF: if job arrives and has a shorter time to completion than the remaining time on the current job, immediately preempt CPU
 - Sometimes called “Shortest Remaining Time to Completion First” (SRTCF)
- These can be applied either to a whole program or the current CPU burst of each program
 - Idea is to get short jobs out of the system
 - Big effect on short jobs, only small effect on long ones
 - Result is better average response time



Recall: Multi-Level Feedback Scheduling




- Another method for exploiting past behavior
 - First used in CTSS
 - Multiple queues, each with different priority
 - » Higher priority queues often considered “foreground” tasks
 - Each queue has its own scheduling algorithm
 - » e.g. foreground – RR, background – FCFS
 - » Sometimes multiple RR priorities with quantum increasing exponentially (highest: 1ms, next: 2ms, next: 4ms, etc)
- Adjust each job’s priority as follows (details vary)
 - Job starts in highest priority queue
 - If timeout expires, drop one level
 - If timeout doesn’t expire, push up one level (or to top)

Real-Time Scheduling (RTS)


- Efficiency is important but **predictability** is essential:
 - We need to predict with confidence worst case response times for systems
 - In RTS, performance guarantees are:
 - » Task- and/or class centric and often ensured a priori
 - In conventional systems, performance is:
 - » System/throughput oriented with post-processing (... wait and see ...)
 - Real-time is about enforcing predictability, and does not equal fast computing!!!
- Hard Real-Time
 - *Attempt to meet all deadlines*
 - EDF (Earliest Deadline First), LLF (Least Laxity First), RMS (Rate-Monotonic Scheduling), DM (Deadline Monotonic Scheduling)
- Soft Real-Time
 - *Attempt to meet deadlines with high probability*
 - Minimize miss ratio / maximize completion ratio (firm real-time)
 - Important for multimedia applications
 - CBS (Constant Bandwidth Server)

Recall: Realtime Workload Characteristics

- Tasks are preemptable, independent with arbitrary arrival (=release) times
- Tasks have deadlines (D) and known computation times (C)
- Example Setup:




Recall: Round-Robin Scheduling Doesn't Work



Recall: Earliest Deadline First (EDF)

- Tasks **periodic** with period P and computation C in each period: (P_i, C_i) for each task i
- Preemptive priority-based dynamic scheduling:
 - Each task is assigned a (current) priority based on how close the absolute deadline is (i.e. $D_i^{t+1} = D_i^t + P_i$ for each task!)
 - The scheduler always schedules the active task with the closest absolute deadline




- Schedulable when $\sum_{i=1}^n \left(\frac{C_i}{P_i} \right) \leq 1$

Choosing the Right Scheduler


I Care About:	Then Choose:
CPU Throughput	FCFS
Avg. Response Time	SRTF Approximation
I/O Throughput	SRTF Approximation
Fairness (CPU Time)	Linux CFS
Fairness - Wait Time to Get CPU	Round Robin
Meeting Deadlines	EDF
Favoring Important Tasks	Priority

A Final Word On Scheduling


- When do the details of the scheduling policy and fairness really matter?
 - When there aren't enough resources to go around
- When should you simply buy a faster computer?
 - (Or network link, or expanded highway, or ...)
 - One approach: Buy it when it will pay for itself in improved response time
 - » Perhaps you're paying for worse response time in reduced productivity, customer angst, etc...
 - » Might think that you should buy a faster X when X is utilized 100%, but usually, response time goes to infinity as utilization \Rightarrow 100%
- An interesting implication of this curve:
 - Most scheduling algorithms work fine in the “linear” portion of the load curve, fail otherwise
 - Argues for buying a faster X when hit “knee” of curve



Starvation vs Deadlock



- Starvation: thread waits indefinitely
 - Example, low-priority thread waiting for resources constantly in use by high-priority threads
- Deadlock: circular waiting for resources
 - Thread A owns Res 1 and is waiting for Res 2
 - Thread B owns Res 2 and is waiting for Res 1




- Deadlock \Rightarrow Starvation but not vice versa
 - Starvation can end (but doesn't have to)
 - Deadlock can't end without external intervention

Example: Single-Lane Bridge Crossing



CA 140 to Yosemite National Park

Bridge Crossing Example



- Each segment of road can be viewed as a resource
 - Car must own the segment under them
 - Must acquire segment that they are moving into
- For bridge: must acquire both halves
 - Traffic only in one direction at a time
 - Problem occurs when two cars in opposite directions on bridge: each acquires one segment and needs next
- If a deadlock occurs, it can be resolved if one car backs up (preempt resources and rollback)
 - Several cars may have to be backed up
- Starvation is possible
 - East-going traffic really fast \Rightarrow no one goes west

One Lane Bridge Revisited: Deadlock with Locks


Thread A

```
x.Acquire();  
y.Acquire();  
...  
y.Release();  
x.Release();
```

Thread B

```
y.Acquire();  
x.Acquire();  
...  
x.Release();  
y.Release();
```

Nondeterministic Deadlock



Deadlock with Locks: Unlucky Case

Thread A

```
x.Acquire();
```

```
y.Acquire();
```

```
<stalled>
```

```
<unreachable>
```

```
...
```

```
y.Release();
```

```
x.Release();
```

Thread B

```
y.Acquire();
```


```
x.Acquire(); <stalled>
```

```
<unreachable>
```

```
...
```

```
x.Release();
```

```
y.Release();
```



Deadlock with Locks: “Lucky” Case

Thread A

```
x.Acquire();  
y.Acquire();  
...  
y.Release();  
x.Release();
```


Thread B

```
y.Acquire();  
  
x.Acquire();  
...  
x.Release();  
y.Release();
```

Sometimes schedule won't trigger deadlock

Train Example (Wormhole-Routed Network)

- Circular dependency (Deadlock!)
 - Each train wants to turn right
 - Blocked by other trains
 - Similar problem to multiprocessor networks
- Fix? Imagine grid extends in all four directions
 - Force ordering of channels (tracks)
 - » Protocol: Always go east-west first, then north-south
 - Called “dimension ordering” (X then Y)



Other Types of Deadlock

- Threads often block waiting for resources
 - Locks
 - Terminals
 - Printers
 - CD drives
 - Memory
- Threads often block waiting for other threads
 - Pipes
 - Sockets
- You can deadlock on any of these!

Deadlock with Space

Thread A

AllocateOrWait(1 MB)

AllocateOrWait(1 MB)

Free(1 MB)

Free(1 MB)

Thread B

AllocateOrWait(1 MB)


AllocateOrWait(1 MB)

Free(1 MB)

Free(1 MB)

If only 2 MB of space, we get same deadlock situation

Dining Lawyers Problem



- Five chopsticks/Five lawyers (really cheap restaurant)
 - Free-for all: Lawyer will grab any one they can
 - Need two chopsticks to eat
- What if all grab at same time?
 - Deadlock!
- How to fix deadlock?
 - Make one of them give up a chopstick (Hah!)
 - Eventually everyone will get chance to eat
- How to prevent deadlock?
 - Never let lawyer take last chopstick if no hungry lawyer has two chopsticks afterwards


Four requirements for occurrence of Deadlock

- Mutual exclusion
 - Only one thread at a time can use a resource.
- Hold and wait
 - Thread holding at least one resource is waiting to acquire additional resources held by other threads
- No preemption
 - Resources are released only voluntarily by the thread holding the resource, after thread is finished with it
- Circular wait
 - There exists a set $\{T_1, \dots, T_n\}$ of waiting threads
 - » T_1 is waiting for a resource that is held by T_2
 - » T_2 is waiting for a resource that is held by T_3
 - » ...
 - » T_n is waiting for a resource that is held by T_1

Detecting Deadlock: Resource-Allocation Graph

- System Model

- A set of Threads T_1, T_2, \dots, T_n
- Resource types R_1, R_2, \dots, R_m
 - CPU cycles, memory space, I/O devices*
- Each resource type R_i has W_i instances
- Each thread utilizes a resource as follows:
 - » Request () / Use () / Release ()




- Resource-Allocation Graph:


- V is partitioned into two types:
 - » $T = \{T_1, T_2, \dots, T_n\}$, the set threads in the system.
 - » $R = \{R_1, R_2, \dots, R_m\}$, the set of resource types in system
- request edge – directed edge $T_i \rightarrow R_j$
- assignment edge – directed edge $R_j \rightarrow T_i$

Resource-Allocation Graph Examples


- Model:
 - request edge – directed edge $T_i \rightarrow R_j$
 - assignment edge – directed edge $R_i \rightarrow T_j$



Simple Resource Allocation Graph



Allocation Graph With Deadlock




Allocation Graph With Cycle, but No Deadlock

Deadlock Detection Algorithm

- Only one of each type of resource \Rightarrow look for loops
- More General Deadlock Detection Algorithm
 - Let $[X]$ represent an m-ary vector of non-negative integers (quantities of resources of each type):
 - [FreeResources]**: Current free resources each type
 - [Request_x]**: Current requests from thread X
 - [Alloc_x]**: Current resources held by thread X
 - See if tasks can eventually terminate on their own

```
[Avail] = [FreeResources]
Add all nodes to UNFINISHED
do {
  done = true
  Foreach node in UNFINISHED {
    if ([Requestnode] <= [Avail]) {
      remove node from UNFINISHED
      [Avail] = [Avail] + [Allocnode]
      done = false
    }
  }
} until(done)
```



- Nodes left in **UNFINISHED** \Rightarrow deadlocked

How should a system deal with deadlock?

- Four different approaches:
 1. Deadlock prevention: write your code in a way that it isn't prone to deadlock
 2. Deadlock recovery: let deadlock happen, and then figure out how to recover from it
 3. Deadlock avoidance: dynamically delay resource requests so deadlock doesn't happen
 4. Deadlock denial: ignore the possibility of deadlock
- Modern operating systems:
 - Make sure the *system* isn't involved in any deadlock
 - Ignore deadlock in applications
 - » “Ostrich Algorithm”

Techniques for Preventing Deadlock

- Infinite resources
 - Include enough resources so that no one ever runs out of resources. Doesn't have to be infinite, just large
 - Give illusion of infinite resources (e.g. virtual memory)
 - Examples:
 - » Bay bridge with 12,000 lanes. Never wait!
 - » Infinite disk space (not realistic yet?)
- No Sharing of resources (totally independent threads)
 - Not very realistic
- Don't allow waiting
 - How the phone company avoids deadlock
 - » Call to your Mom in Toledo, works its way through the phone lines, but if blocked get busy signal.
 - Technique used in Ethernet/some multiprocessor nets
 - » Everyone speaks at once. On collision, back off and retry
 - Inefficient, since have to keep retrying
 - » Consider: driving to San Francisco; when hit traffic jam, suddenly you're transported back home and told to retry!

(Virtually) Infinite Resources

Thread A

AllocateOrWait(1 MB)

AllocateOrWait(1 MB)

Free(1 MB)

Free(1 MB)

Thread B

AllocateOrWait(1 MB)

AllocateOrWait(1 MB)

Free(1 MB)

Free(1 MB)

With virtual memory we have “infinite” space so everything will just succeed.

Techniques for Preventing Deadlock

- Make all threads request everything they'll need at the beginning.
 - Problem: Predicting future is hard, tend to over-estimate resources
 - Example:
 - » If need 2 chopsticks, request both at same time
 - » Don't leave home until we know no one is using any intersection between here and where you want to go; only one car on the Bay Bridge at a time
- Force all threads to request resources in a particular order preventing any cyclic use of resources
 - Thus, preventing deadlock
 - Example (**x.Acquire()**, **y.Acquire()**, **z.Acquire()**,...)
 - » Make tasks request disk, then memory, then...
 - » Keep from deadlock on freeways around SF by requiring everyone to go clockwise

Request Resources Atomically (I)

Thread A

```
x.Acquire();
```

```
y.Acquire();
```

```
...
```

```
y.Release();
```

```
x.Release();
```

Thread B

```
y.Acquire();
```

```
x.Acquire();
```

```
...
```

```
x.Release();
```

```
y.Release();
```

Consider instead:

Thread A

```
Acquire_both(x, y);
```

```
...
```

```
y.Release();
```

```
x.Release();
```

Thread B

```
Acquire_both(y, x);
```

```
...
```

```
x.Release();
```

```
y.Release();
```

Request Resources Atomically (2)

Or consider this:

Thread A

z.Acquire();

x.Acquire();

y.Acquire();

z.Release();

...

y.Release();

x.Release();

Thread B

z.Acquire();

y.Acquire();

x.Acquire();

z.Release();

...

x.Release();

y.Release();

Acquire Resources in Consistent Order

Thread A

```
x.Acquire();  
y.Acquire();  
...  
y.Release();  
x.Release();
```

Thread B

```
y.Acquire();  
x.Acquire();  
...  
x.Release();  
y.Release();
```

Consider instead:

Thread A

```
x.Acquire();  
y.Acquire();  
...  
y.Release();  
x.Release();
```


Thread B

```
x.Acquire();  
y.Acquire();  
...  
x.Release();  
y.Release();
```

Does it matter in which order the locks are released?

Review: Train Example (Wormhole-Routed Network)

- Circular dependency (Deadlock!)
 - Each train wants to turn right
 - Blocked by other trains
 - Similar problem to multiprocessor networks
- Fix? Imagine grid extends in all four directions
 - Force ordering of channels (tracks)
 - » Protocol: Always go east-west first, then north-south
 - Called “dimension ordering” (X then Y)



Techniques for Recovering from Deadlock

- Terminate thread, force it to give up resources
 - In Bridge example, Godzilla picks up a car, hurls it into the river. Deadlock solved!
 - Hold dining lawyer in contempt and take away in handcuffs
 - But, not always possible – killing a thread holding a mutex leaves world inconsistent
- Preempt resources without killing off thread
 - Take away resources from thread temporarily
 - Doesn't always fit with semantics of computation
- Roll back actions of deadlocked threads
 - Hit the rewind button on TiVo, pretend last few minutes never happened
 - For bridge example, make one car roll backwards (may require others behind him)
 - Common technique in databases (transactions)
 - Of course, if you restart in exactly the same way, may reenter deadlock once again
- Many operating systems use other options

Pre-empting Resources

Thread A

AllocateOrWait(1 MB)

AllocateOrWait(1 MB)

Free(1 MB)

Free(1 MB)

Thread B

AllocateOrWait(1 MB)

AllocateOrWait(1 MB)

Free(1 MB)

Free(1 MB)

With virtual memory we have “infinite” space so everything will just succeed.

Alternative view: we are “pre-empting” memory when paging out to disk, and giving it back when paging back in

Techniques for Deadlock Avoidance

- Idea: When a thread requests a resource, OS checks if it would result in deadlock
 - If not, it grants the resource right away
 - If so, it waits for other threads to release resources

THIS DOES NOT WORK!!!!

- Example:

Thread A

```
x.Acquire();  
y.Acquire();  
...  
y.Release();  
x.Release();
```

Blocks...

Thread B

```
y.Acquire();  
x.Acquire();  
...  
x.Release();  
y.Release();
```

Wait...
But it's too late...

Deadlock Avoidance: Three States

- Safe state
 - System can delay resource acquisition to prevent deadlock
- Unsafe state
 - No deadlock yet...
 - But threads can request resources in a pattern that *unavoidably* leads to deadlock
- Deadlocked state
 - There exists a deadlock in the system
 - Also considered “unsafe”

**Deadlock avoidance:
prevent system from
reaching an unsafe state**

Deadlock Avoidance

- Idea: When a thread requests a resource, OS checks if it would result in ~~deadlock~~ **an unsafe state**
 - If not, it grants the resource right away
 - If so, it waits for other threads to release resources
- Example:

Thread A

```
x.Acquire();  
y.Acquire();  
...  
y.Release();  
x.Release();
```

Thread B

```
y.Acquire();  
x.Acquire();  
...  
x.Release();  
y.Release();
```


Wait until
Thread A
releases the
mutex

Banker's Algorithm for Avoiding Deadlock

- Toward right idea:
 - State maximum resource needs in advance
 - Allow particular thread to proceed if:
(available resources - #requested) \geq max remaining that might be needed by any thread
- Banker's algorithm (less conservative):
 - Allocate resources dynamically
 - » Evaluate each request and grant if some ordering of threads is still deadlock free afterward
 - » Technique: pretend each request is granted, then run deadlock detection algorithm, substituting $([Max_{node}] - [Alloc_{node}] \leq [Avail])$ for $([Request_{node}] \leq [Avail])$
Grant request if result is deadlock free (conservative!)
 - » Keeps system in a "SAFE" state, i.e. there exists a sequence $\{T_1, T_2, \dots, T_n\}$ with T_1 requesting all remaining resources, finishing, then T_2 requesting all remaining resources, etc..
 - Algorithm allows the sum of maximum resource needs of all current threads to be greater than total resources




Banker's Algorithm Example



- Banker's algorithm with dining lawyers
 - “Safe” (won't cause deadlock) if when try to grab chopstick either:
 - » Not last chopstick
 - » Is last chopstick but someone will have two afterwards
 - What if k-handed lawyers? Don't allow if:
 - » It's the last one, no one would have k
 - » It's 2nd to last, and no one would have k-1
 - » It's 3rd to last, and no one would have k-2
 - » ...



Recall: Priority Scheduler



- Execution Plan
 - Always execute highest-priority runnable jobs to completion
 - Each queue can be processed in RR with some time-quantum
- Problems:
 - Starvation:
 - » Lower priority jobs don't get to run because of higher priority jobs
 - Priority Inversion:
 - » Not strictly a problem with priority scheduling, but happens when low priority task has lock needed by high-priority task
 - » Usually involves third, intermediate priority task that keeps running even though high-priority task should be running
 - Are either of these problems examples of DEADLOCK?

Priority Donation as a remedy to Priority Inversion

- Does Priority Inversion cause Deadlock? Not usually.
- Consider:
 - 3 threads, T1, T2, T3 in priority order (T3 highest)
 - T1 grabs lock, T3 tries to acquire, then sleeps, T2 running
 - Will this make progress?
 - » No, as long as T2 is running
 - » But T2 could stop at any time and the problem would resolve itself...
 - » So, this is *not* a deadlock (it is a livelock). But it could last a long time...
 - Why is this a priority inversion?
 - » T3 is prevented from running by T2
- What is *priority donation*?
 - When high priority Thread TB is about to sleep while waiting for a lock held by lower priority Thread TA, it may *temporarily donate* its priority to the holder of the lock if that lock holder has a lower priority
 - » So, $\text{Priority}(TB) \Rightarrow TA$ until lock is released
 - So, now, TA runs with high priority until it releases its lock, at which time its priority is restored to its original priority
- How does *priority donation* help both above priority inversion scenario?
 - Briefly raising T1 to the same priority as T3 \Rightarrow T1 can run and release lock, allowing T3 to run
 - Does priority donation involve taking lock away from T1?
 - » NO! That would break semantics of the lock and potentially corrupt any information protected by lock!

Summary

- Real-time scheduling
 - Need to meet a deadline, predictability essential
 - Earliest Deadline First (EDF) and Rate Monotonic (RM) scheduling
- Starvation vs. Deadlock
 - Starvation: thread waits indefinitely
 - Deadlock: circular waiting for resources
- Four conditions for deadlocks
 - Mutual exclusion
 - Hold and wait
 - No preemption
 - Circular wait
- Techniques for addressing Deadlock
 - Deadlock prevention:
 - » write your code in a way that it isn't prone to deadlock
 - Deadlock recovery:
 - » let deadlock happen, and then figure out how to recover from it
 - Deadlock avoidance:
 - » dynamically delay resource requests so deadlock doesn't happen
 - » Banker's Algorithm provides an algorithmic way to do this
 - Deadlock denial:
 - » ignore the possibility of deadlock